

Recanati li, 11 dicembre 2009


**Oggetto: Prodotti iGuzzini rispondenti alla Legge Regionale Sardegna
D.G.R. n. 48/31 del 29 novembre 2007
Visual D.G.R. n. 48/31 del 29 novembre 2007
Disposizioni per la prevenzione e lotta all'inquinamento luminoso e per il corretto impiego
delle risorse energetiche.**








Si dichiara che le seguenti serie di prodotti iGuzzini sono conformi ai seguenti criteri di valutazione degli apparecchi per la limitazione della dispersione verso l'alto del flusso luminoso:



1. Limiti Generali:

Intensità luminosa ≤ 0.49 cd/klm per $\gamma \geq 90^\circ$. Sorgenti luminose al sodio ad alta o bassa pressione
(DGR n.48/31 art. 7 comma 1l + comma 1ll)




PRODOTTI FISSI





Serie		Codice	Potenza	Attacco	Lampada
ARGO (Tilt = 2°)		7860	150W	E40	HST
		7861	250W	E40	HST
		7670	150W	E40	HST
		7671	250W	E40	HST
		B161	100W	E40	HST
		B162	100W	E40	HST
DELO (Tilt = 2°)		7856	150W	E40	HST
		7857	250W	E40	HST
		7661	150W	E40	HST
		7662	250W	E40	HST
		B157	100W	E40	HST
		B158	100W	E40	HST



DELPHI (Tilt = 2°)		7852	150W	E40	HST
		7853	250W	E40	HST
		7641	150W	E40	HST
		7642	250W	E40	HST
		7322	150W	E40	HST
		7323	250W	E40	HST
		B157	100W	E40	HST
		B158	100W	E40	HST
ESTE		B035	70W	Rx7s	HST-DE
		B036	150W	Rx7s	HST-DE
FLAMINIA A		B051	70W	Rx7s	HST-DE
		B052	70W	Rx7s	HST-DE
		B053	70W	Rx7s	HST-DE
		B054	150W	Rx7s	HST-DE
		B055	150W	Rx7s	HST-DE
		B056	150W	Rx7s	HST-DE
SALARIA		B261	70W	E27	HST
		B262	100W	E40	HST
		B263	150W	E40	HST
ARGO TESTAPALO		B177	70W	E27	HST
		B178	100W	E40	HST
		B179	150W	E40	HST
DELPHI TESTAPALO		B167	70W	E27	HST
		B168	100W	E40	HST
		B169	150W	E40	HST
NUVOLA SPECIALE		Su Richiesta	Su Richiesta	Su Richiesta	Su Richiesta

RADIUS		7366 7368	70W 70W	Rx7s Rx7s	HST-DE HST-DE
SISTEMA CUT-OFF		BD85 BC57 BC58 BC60 BC61 BC63 BC64 BC65 BC66 BC68 BD86 BC82 BC83 BC85 BD86 BC88 BC89 BC90 BC91 BC93	50W 70W 100W 150W 100W 150W 70W 70W 150W 150W 50W 70W 100W 150W 100W 150W 70W 70W 150W 150W	E27 E27 E40 Rx7s E40 Rx7s Rx7s Rx7s Rx7s Rx7s E27 E27 E40 Rx7s E40 Rx7s Rx7s Rx7s Rx7s	HST HST HST HST-DE HST (Bi-Energy) HST-DE (Bi-Energy) HST-DE HST-DE HST-DE HST-DE (Bi-Energy) HST HST HST HST-DE HST (Bi-Energy) HST-DE (Bi-Energy) HST-DE HST-DE HST-DE HST-DE (Bi-Energy)

PRODOTTI ORIENTABILI - Per orientamenti di 0° rispetto alla verticale - verso il basso:


Serie		Codice	Potenza	Attacco	Lampada
PLATEA		7377	70W	Rx7s	HST-DE
		7378	150W	Rx7s	HST-DE
		7379	70W	Rx7s	HST-DE
		7380	150W	Rx7s	HST-DE
		7698	70W	Rx7s	HST-DE
		7699	150W	Rx7s	HST-DE
		7377	70W	Rx7s	HST-DE
		7378	150W	Rx7s	HST-DE
		7379	70W	Rx7s	HST-DE
		7380	150W	Rx7s	HST-DE
		7698	70W	Rx7s	HST-DE
		7699	150W	Rx7s	HST-DE
LINGOTTO		7019	250W	Fc2	HST-DE
		7029	250W	Fc2	HST-DE
		7017	150W	Rx7s	HST-DE
		7027	150W	Rx7s	HST-DE
		7012	150W	Rx7s	HST-DE
IROAD		B403	70W	Rx7s	HST-DE
		B404	150W	Rx7s	HST-DE
		B407	70W	Rx7s	HST-DE
		B408	150W	Rx7s	HST-DE

LAVINIA		B214	250W	E40	HST
		B216	400W	E40	HST (PHILIPS)
		B217	250W	Fc2	HST-DE
		B219	400W	Fc2	HST-DE
		B413	70W	Rx7s	HST-DE
		B414	70W	E27	HST
		B415	150W	Rx7s	HST-DE
		B425	70W	Rx7s	HST-DE
		B426	70W	E27	HST
		B427	150W	Rx7s	HST-DE
		B411	100W	E40	HST
		B412	150W	E40	HST
MAXIWOODY		5653	70W	E27	HST
		5666	150W	Rx7s	HST-DE
		5669	250W	E40	HSE
		5670	250W	E40	HST
		5672	400W	E40	HST
		5674	400W	E40	HSE
		5678	70W	E27	HST
		5685	70W	Rx7s	HST-DE
		5683	150W	Rx7s	HST-DE
5684	70W	Rx7s	HST-DE		
MULTIWOODY		5653	70W	E27	HST
CITYWOODY		5678	70W	E27	HST
		5685	70W	Rx7s	HST-DE
		5683	150W	Rx7s	HST-DE

FRAMEWOODY		5653	70W	E27	HST
		5684	70W	Rx7s	HST-DE
		5678	70W	E27	HST
		5685	70W	Rx7s	HST-DE
		5666	150W	Rx7s	HST-DE
		5683	150W	Rx7s	HST-DE
I PRO		BD62	150W	Rx7s	HST-DE

Alcuni di tali prodotti, con l'utilizzo di accessori quali alette direzionali, consentono di rientrare nei limiti pur se orientati leggermente rispetto alla verticale.

2. Riduzione del flusso in misura $\geq 30\%$ entro le ore 24:00 (DGR n.7/6162 art. 5.d)..




Serie		Codice	Potenza	Attacco	Lampada
W-SAVING		G880	230W		121-138 mm
		G881	220W		121-138 mm
		G882	230W		139-160 mm
		G883	220W		139-160 mm
		G884	230W		161-194 mm
		G885	220W		161-194 mm






3. Limiti Specifici (Monumenti)






Monumenti, Edifici, Aree pedonali di comprovato valore culturale e/o sociale: Distribuzione dell'intensità luminosa per tutti gli impianti ≤ 0.49 cd/klm per $\gamma \geq 90^\circ$. Ammesse sorgenti con $Ra > 65$ con efficienza luminosa ≥ 90 lm/W (DGR n.48/31 art. 7 comma 1II).


4.



PRODOTTI FISSI

Serie		Codice	Potenza	Attacco	Lampada
ARGO (Tilt = 2°)		7860	150W	E40	HST HIT (CDO-TT)
		7861	250W	E40	HST
		7670	150W	E40	HST HIT (CDO-TT)
		7671	250W	E40	HST
		B161	100W	E40	HST HIT (CDO-TT)
		B162	100W	E40	HST HIT (CDO-TT)
DELO (Tilt = 2°)		7856	150W	E40	HST HIT (CDO-TT)
		7857	250W	E40	HST
		7661	150W	E40	HST HIT (CDO-TT)
		7662	250W	E40	HST
		B159	100W	E40	HST HIT (CDO-TT)
		B160	100W	E40	HST HIT (CDO-TT)
DELPHI (Tilt = 2°)		7852	150W	E40	HST HIT (CDO-TT)
		7853	250W	E40	HST
		7641	150W	E40	HST HIT (CDO-TT)
		7642	250W	E40	HST
		7322	150W	E40	HST HIT (CDO-TT)



		7323	250W	E40	HST
		B157	100W	E40	HST HIT (CDO-TT)
		B158	100W	E40	HST HIT (CDO-TT)
FLAMINIA A		B051	70W	Rx7s	HIT-DE HST-DE
		B052	70W	Rx7s	HIT-DE HST-DE
		B053	70W	Rx7s	HIT-DE HST-DE
		B054	150W	Rx7s	HIT-DE HST-DE
		B055	150W	Rx7s	HIT-DE HST-DE
		B056	150W	Rx7s	HIT-DE HST-DE
SALARIA		B261	70W	E27	HST HIT (CDO-TT)
		B262	100W	E40	HST HIT (CDO-TT)
		B263	150W	E40	HST HIT (CDO-TT)
		B208	70W	E27	HST CDO-TT
		B209	100W	E40	HST CDO-TT
SALARIA		B210	150W	E40	HST CDO-TT
ARGO TESTAPALO		B177	70W	E27	HST
		B178	100W	E40	HST HIT (CDO-TT)
		B179	150W	E40	HST HIT (CDO-TT)




DELPHI TESTAPALO		B167	70W	E27	HST
		B168	100W	E40	HST HIT (CDO-TT)
		B169	150W	E40	HST HIT (CDO-TT)
ESTE		B035	70W	Rx7s	HIT-DE HST-DE
		B036	150W	Rx7s	HIT-DE HST-DE
IWAY		B633	35W	G12	HIT
		B636	35W	G12	HIT
		B634	35W	G12	HIT
		B637	35W	G12	HIT
		B638	70W	G12	HIT
		B641	35W	G12	HIT
		B644	35W	G12	HIT
		B642	35W	G12	HIT
		B645	35W	G12	HIT
B646	70W	G12	HIT		
NUVOLA SPECIALE		Su richiesta	Su richiesta	Su richiesta	Su richiesta
RADIUS		7366	70W	Rx7s	HIT-DE HST-DE
		7368	70W	Rx7s	HIT-DE HST-DE
SISTEMA CUT-OFF		BD85	50W	E27	HST HIT(CDO-TT)
		BC57	70W	E27	HST HIT(CDO-TT)
		BC58	100W	E40	HST HIT(CDO-TT)



SISTEMA CUT-OFF		BC60	150W	Rx7s	HIT-DE HST-DE
		BC61	100W	E40	HST (Bi-Energy)
		BC63	150W	Rx7s	HST-DE (Bi-Energy)
		BC59	140W	PGZ12	CPO-TW
		BC62	60W	PGZ12	CPO-TW
		BC64	70W	Rx7s	HIT-DE HST-DE
		BC65	70W	Rx7s	HIT-DE HST-DE
		BC66	150W	Rx7s	HIT-DE HST-DE
		BC68	150W	Rx7s	HST-DE (Bi-Energy)
		BC67	140W	PGZ12	CPO-TW
		BC69	60W	PGZ12	CPO-TW
		BD86	50W	E27	HST HIT(CDO-TT)
		BC82	70W	E27	HST HIT(CDO-TT)
		BC83	100W	E40	HST HIT(CDO-TT)
		BC85	150W	Rx7s	HIT-DE HST-DE
		BD86	100W	E40	HST (Bi-Energy)
		BC88	150W	Rx7s	HST-DE (Bi-Energy)
		BC84	140W	PGZ12	CPO-TW
		BC87	60W	PGZ12	CPO-TW
		BC89	70W	Rx7s	HIT-DE HST-DE
BC90	70W	Rx7s	HIT-DE HST-DE		



		BC91	150W	Rx7s	HIT-DE HST-DE
		BC93	150W	Rx7s	HST-DE (Bi-Energy)
		BC92	140W	PGZ12	CPO-TW
		BC94	60W	PGZ12	CPO-TW
SISTEMA CUT- OFF LED		BD91	39x1W		LED Cool White
		BD93	39x1W		LED Cool White
		BE92	59x1W		LED Cool White
		BD94	59x1W		LED Cool White
		BE95	39x1W		LED Cool White
		BD97	39x1W		LED Cool White
		BD96	59x1W		LED Cool White
		BD98	59x1W		LED Cool White
ARCHILEDE LED		BD99	39x1W		LED Cool White
		BD06	39x1W		LED Cool White
		BE00	59x1W		LED Cool White
		BD07	59x1W		LED Cool White
		BE01	84x1W		LED Cool White
		BD08	84x1W		LED Cool White



PRODOTTI ORIENTABILI - Per orientamenti di 0° rispetto alla verticale - verso il basso:



Serie		Codice	Potenza	Attacco	Lampada
PLATEA		7376	2x26W	Gx24d-3	TC-T
		7377	70W	Rx7s	HIT-DE HST-DE
		7378	150W	Rx7s	HIT-DE HST-DE
		7395	250W	Fc2	HIT-DE
		7379	70W	Rx7s	HIT-DE HST-DE
		7394	250W	Fc2	HIT-DE
		7380	150W	Rx7s	HIT-DE HST-DE
		7444	70W	G12	HIT
		7445	150W	G12	HIT
		7698	70W	Rx7s	HIT-DE HST-DE
		7699	150W	Rx7s	HIT-DE HST-DE
		7499	250W	G12	HIT(CDM-T)
		7387	70W	G12	HIT
		7388	150W	G12	HIT
		7396	70W	Rx7s	HIT-DE
		7397	150W	Rx7s	HIT-DE
7399	150W	G12	HIT		
LINGOTTO		7019	250W	Fc2	HST-DE
		7029	250W	Fc2	HST-DE
		7017	150W	Rx7s	HST-DE
		7027	150W	Rx7s	HST-DE
		7012	150W	Rx7s	HST-DE



LINEALUCE		7862	14W	G5	T16
		7863	21W	G5	T16
		7864	28W	G5	T16
		7865	35W	G5	T16
		B857	21W	G5	T16
		B858	28W	G5	T16
		B859	35W	G5	T16
		B861	21W	G5	T16
		B862	28W	G5	T16
		B863	35W	G5	T16
		B865	21W	G5	T16
		B866	28W	G5	T16
		B867	35W	G5	T16
		WOODY A SCARICA		7593	70W
7594	70W			G12	HIT
MAXIWOODY		5614	70W	G12	CDM-T
		5615	70W	G12	CDM-T
		5616	60W	PGZ12	CPO-TW
		5617	60W	PGZ12	CPO-TW
		5618	150W	G12	CDM-T
		5619	150W	G12	CDM-T
		5620	140W	PGZ12	CPO-TW
		5621	140W	PGZ12	CPO-TW
		5650	70W	G12	HIT (CDM-T)
		5651	70W	G12	HIT (CDM-T)
		5653	70W	E27	HST
		5684	70W	Rx7s	HIT-DE HST-DE
		5658	150W	G12	HIT (CDM-T)
		5659	150W	G12	HIT (CDM-T)
		5666	150W	Rx7s	HIT-DE HST-DE
		5669	150W	Rx7s	HIT-DE HST-DE
		5670	250W	E40	HSE

MAXIWOODY		5672	250W	E40	HST		
		5674	400W	E40	HST		
		5675	400W	E40	HSE		
		5676	70W	G12	HIT (CDM-T)		
			70W	G12	HIT (CDM-T)		
		5678	70W	E27	HST		
		5685	70W	Rx7s	HIT-DE HST-DE		
		5680					
			150W	G12	HIT (CDM-T)		
		5681	150W	G12	HIT (CDM-T)		
		5683	150W	Rx7s	HST-DE		
		5614	70W	G12	CDM-T		
		5615	70W	G12	CDM-T		
		5617	60W	PGZ12	CPO-TW		
		5618	150W	G12	CDM-T		
		5619	150W	G12	CDM-T		
		5620	140W	PGZ12	CPO-TW		
		5621	140W	PGZ12	CPO-TW		
		5622	250W	G12	CDM-T		
		5623	250W	G12	CDM-T		
		5624	250W	G12	CDM-T		
		MULTIWOODY		5650	70W	G12	HIT (CDM-T)
				5651	70W	G12	HIT (CDM-T)
				5653	70W	E27	HST
5684	70W			Rx7s	HIT-DE HST-DE		
5658	150W			G12	HIT (CDM-T)		
5659	150W			G12	HIT (CDM-T)		

CITYWOODY		5675	70W	G12	HIT (CDM-T)
		5676	70W	G12	HIT (CDM-T)
		5678	70W	E27	HST
		5685	70W	Rx7s	HIT-DE HST-DE
		5680	150W	G12	HIT (CDM-T)
		5681	150W	G12	HIT (CDM-T)
		5683	150W	Rx7s	HIT-DE HST-DE
FRAMEWOODY		5650	70W	G12	HIT (CDM-T)
		5651	70W	G12	HIT (CDM-T)
		5653	70W	E27	HST
		5684	70W	Rx7s	HIT-DE HST-DE
		5675	70W	G12	HIT (CDM-T)
		5676	70W	G12	HIT (CDM-T)
		5678	70W	E27	HST
		5685	70W	Rx7s	HIT-DE HST-DE
		5658	150W	G12	HIT (CDM-T)
		5659	150W	G12	HIT (CDM-T)
		5666	150W	Rx7s	HIT-DE HST-DE
		5680	150W	G12	HIT (CDM-T)
		5681	150W	G12	HIT (CDM-T)
		5683	150W	Rx7s	HIT-DE HST-DE

COLOUR WOODY		5758	150W	G12	HIT (CDM-T)
LAVINIA		BD87	39x1W		LED Cool White
		BD89	39x1W		LED Cool White
		BD88	59x1W		LED Cool White
		BD90	59x1W		LED Cool White
		B214	250W	E40	HST
		B215	400W	E40	HIT (PHILIPS)
		B217	250W	Fc2	HST-DE
		B413	70W	Rx7s	HIT-DE HST-DE
		B414	70W	E27	HST
		B420	140W	PGZ12	HST (CPO-TW)
		B415	150W	Rx7s	HIT-DE HST-DE
		B416	250W	G12	HIT (CDM-T)
		B425	70W	Rx7s	HIT-DE HST-DE
		B426	70W	E27	HST
		B432	140W	PGZ12	HST (CPO-TW)
		B427	150W	Rx7s	HIT-DE HST-DE
		B428	250W	G12	HIT (CDM-T)
B411	100W	E40	HST HIT (CDO-TT)		
B412	150W	E40	HST HIT (CDO-TT)		

IROAD		B403	70W	Rx7s	HIT-DE HST-DE
		B404	150W	Rx7s	HIT-DE HST-DE
		B406	140W	PGZ12	HST (CPO-TW)
		B405	250W	G12	HIT (CDM-T)
		B407	70W	Rx7s	HIT-DE HST-DE
		B408	150W	Rx7s	HIT-DE HST-DE
		B410	140W	PGZ12	HST (CPO-TW)
		B409	250W	G12	HIT (CDM-T)
ITEKA		B789	35W	G12	HIT
		BA04	35W	G8.5	HIT
		B797	35W	G12	HIT
		B798	35W	G8.5	HIT
		B805	35W	G8.5	HIT
		B812	2x35W	G8.5	HIT
		B814	35W	G12	HIT
		B817	35W	G8.5	HIT
		B819	2x35W	G12	HIT
		B822	2X35W	G8.5	HIT
		BC35	35W	G12	HIT
		BC37	35W	G8.5	HIT
		BC39	2X35W	G12	HIT
		BC41	2X35W	G8.5	HIT

iROLL 65		BA33	70W	G 8.5	HIT
		BA34	70W	G 8.5	HIT
		B761	150W	G12	HIT
		B763	150W	G12	HIT
		B783	150W	G12	HIT
		B784	2x70W	G18.5	HIT
		B785	2x70W	G18.5	HIT
		B786	2x70W	G18.5	HIT
		B756	70W	G12	HIT
		B759	70W	G12	HIT
		B760	70W	G12	HIT
		B762	150W	G12	HIT
		B764	150W	G12	HIT
		B765	150W	G12	HIT
		B771	70W	G12	HIT
		B827	2x70W	G18.5	HIT
iPRO		BD52	70W	G12	HIT
		BD53	70W	G12	HIT
		BD54	70W	G12	HIT
		BD55	70W	Rx7s	HIT-DE
		BD56	70W	G12	HIT
		BD57	70W	G12	HIT
		BD58	70W	G12	HIT
		BD61	150W	G12	HIT
		BD62	150W	Rx7s	HIT HST-DE

Alcuni di tali prodotti, con l'utilizzo di accessori quali alette direzionali, consentono di rientrare nei limiti pur se orientati leggermente rispetto alla verticale.

IGuzzini Illuminazione spa
62019 Recanati, Italy
Via Mariano Guzzini,37
Certificazione ISO 9001




Telefono (+39) 071.75881
Telefax (+39) 071.7588295
e-mail: iguzzini@iguzzini.it
[http:// www.iguzzini.com](http://www.iguzzini.com)

Capitale sociale
€ .20.000.000 i.v.
Codice fiscale, partita iva
(IT) 00082630435

CCIAA Macerata
R.I. 00082630435
R.E.A. 40632
Pos. Mecc. MC000416

5. Limiti Specifici (Impianti Stradali)



Distribuzione dell'intensità luminosa per tutti gli impianti ≤ 0.49 cd/klm per $\gamma \geq 90^\circ$. Ammesse sorgenti LED con efficienza luminosa ≥ 90 lm/W (DGR n.48/31 art. 7 comma 1II).



Serie		Codice	Potenza	Attacco	Lampada
ARCHILEDE LED		BD99	39x1W		LED Cool White
		BD06	39x1W		LED Cool White
		BE00	59x1W		LED Cool White
		BD07	59x1W		LED Cool White
		BE01	84x1W		LED Cool White
		BD08	84x1W		LED Cool White
SISTEMA CUT-OFF LED		BD91	39x1W		LED Cool White
		BD93	39x1W		LED Cool White
		BE92	59x1W		LED Cool White
		BD94	59x1W		LED Cool White
		BE95	39x1W		LED Cool White
		BD97	39x1W		LED Cool White
		BD96	59x1W		LED Cool White
		BD98	59x1W		LED Cool White
LAVINIA		BD87	39x1W		LED Cool White
		BD89	39x1W		LED Cool White
		BD88	59x1W		LED Cool White
		BD90	59x1W		LED Cool White

6. Limiti aree di rispetto







Entro 4 anni (6 se all'interno di edificati urbani) dall'entrata in vigore della legge tutti gli apparecchi altamente inquinanti esistenti devono essere adeguati: intensità luminosa 15 cd/klm
(DGR n.48/31 art. 11 comma 5°-c).

PRODOTTI FISSI





Serie		Codice	Potenza	Attacco	Lampada
NUVOLA		4160	250W	Fc2	HIT-DE HST-DE
		4162	400W	Fc2	HIT-DE
		4163	250W	Fc2	HIT-DE HST-DE
		4165	400W	Fc2	HIT-DE
		4166	250W	Fc2	HIT-DE HST-DE
		4168	400W	Fc2	HIT-DE
		4169	250W	Fc2	HIT-DE HST-DE
		4171	400W	Fc2	HIT-DE
		4172	2x250W	Fc2	HIT-DE HST-DE
		4174	2x400W	Fc2	HIT-DE
		4175	2x250W	Fc2	HIT-DE HST-DE
		4177	2x400W	Fc2	HIT-DE HIT-DE
		4178	2x250W	Fc2	HST-DE
		4180	2x400W	Fc2	HIT-DE
4181	2x250W	Fc2	HIT-DE HST-DE		
4183	2x400W	Fc2	HIT-DE		
SPARK		7285	18W	G24d-2	TC-D
		7287	18W	G24d-2	TC-D

TEE		7596	25W	G9	Halopin
		7598	25W	G9	Halopin
		7597	25W	G9	Halopin
		7599	25W	G9	Halopin
FLAMINIA A		B045	70W	Rx7s	HIT-DE HST-DE
		B046	70W	Rx7s	HIT-DE HST-DE
		B047	70W	Rx7s	HIT-DE HST-DE
		B048	150W	Rx7s	HIT-DE HST-DE
		B049	150W	Rx7s	HIT-DE HST-DE
		B050	150W	Rx7s	HIT-DE HST-DE
		B060	150W	Rx7s	HIT-DE HST-DE
		B061	150W	Rx7s	HIT-DE HST-DE
B062	150W	Rx7s	HIT-DE HST-DE		





FRANGILUCE – TABELLA DIFFUSORI (COLORI 22-24)


Serie		Codice	Accessorio	Orientamento	Lampada
MONO		2002	1066	Up	80W HSE
		2005	1066	Up	70W HSE
PUBLIC		2027	1066	Up	70W HSE
		2027	1592	Down	70W HSE
		2027	1593	Down	70W HSE
		2028	1067	Up	100W HSE
		2028	1593	Down	100W HSE
AGORA		1137	1593	Down	100WHSE
		1137	1593	Down	125WHME
EXEDRA		1137	1593	Down	80W HME
		1137	1593	Down	70W HST
		1137	1593	Down	125W HME
		1137	1593	Down	100W HSE
EMILIA		7250	1069	Up	70W HIE
		7251	1069	Up	100W HIE
		7252	1069	Up	150W HIE
FLAMINIA		B065	B924	up	70W HST/CDM-TT/HSE/CDM-ET
		B065	B925	down	70W HST/CDM-TT/HSE/CDM-ET
		B067	B939	up	100W HST/CDM-TT/HSE/CDM-ET
		B067	B940	down	100W HST/CDM-TT/HSE/CDM-ET
		B072	B939	up	150W HST/CDM-TT/HSE/CDM-ET
		B072	B940	down	150W HST/CDM-TT/HSE/CDM-ET
		B078	B941	up	150W HST/CDM-TT/HSE/CDM-ET
		B078	B942	down	150W HST/CDM-TT/HSE/CDM-ET
		B099	B924	up	70W HST/CDM-TT/HSE/CDM-ET
		B101	B939	up	100W HST/CDM-TT/HSE/CDM-ET
		B106	B939	up	150W HST/CDM-TT/HSE/CDM-ET
		B112	B941	up	150W HST/CDM-TT/HSE/CDM-ET

PRODOTTI INSTALLATI A SOFFITTO - Per orientamenti di 0° rispetto alla verticale - verso il basso:

Serie		Codice	Potenza	Attacco	Lampada
FULL SQUARE		B572	26W/ 32W	GX24q-3	TC-TEL
		B573	26W/ 32W	GX24q-3	TC-TEL
GRID SQUARE		B574	26W/ 32W	GX24q-3	TC-TEL
		B575	26W/32W	GX24q-3	TC-TEL
FULL		7040	75W	E27	A 60
		7078	60W	E27	A 60
		7045	75W	E27	A60
		7082	60W	E27	A60
		7096	60W	E27	A60
		B548	26W/32W/42W	GX24q-2	TC-TEL
		B549	2x26W	GX24q-3	TC-TEL
		B546	26W	GX24q-3	TC-TEL
		B550	26W/32W/42W	GX24q-2	TC-TEL
		B551	2x26W	GX24q-3	TC-TEL
		B547	26W	GX24q-3	TC-TEL
		B554	26W/32W/42W	GX24q-2	TC-TEL
		PIXY		7134	10W

PRODOTTI INSTALLATI A PARETE





Serie		Codice	Potenza	Attacco	Lampada
WALKY- MINIWALKY		7109	7/9W	G23	TC
		7110	7/9W	G23	TC
SCREEN		B568	26W/32W/42W	GX24q-3	TC-TEL
		B566	26W	GX24q-4	TC-TEL
		B569	26W/32W/42W	GX24q-3	TC-TEL
		B567	26W	GX24q-4	TC-TEL
COMFORT ROUND		B577	26W	G24q-2	TC-DEL
		B576	18W	G24q-3	TC-DEL
		B579	26W	G24q-2	TC-DEL
		B578	18W	G24q-3	TC-DEL
COMFORT SQUARE		B580	26W	G24q-3	TC-DEL
		B581	26W	G24q-3	TC-DEL







KRISS		5688	70W	G12	HIT (BLV)
-------	---	------	-----	-----	-----------







7. Limiti aree di rispetto




Entro **6 anni** (8 se all'interno di edifici urbani) dall'entrata in vigore della legge tutti gli apparecchi altamente inquinanti esistenti che non possono essere adeguati devono essere sostituiti nel rispetto di: Intensità luminosa ≤ 0.49 cd/klm per $\gamma \geq 90^\circ$
(DGR n.48/31 art. 11 comma 5b-c).


PRODOTTI FISSI



Serie		Codice	Potenza	Attacco	Lampada
ARGO (Tilt = 2°)		7860	150W	E40	HIT (CDO-TT) HST
		7861	250W	E40	HST
		7877	250W	E40	HIT
		7670	150W	E40	HIT (CDO-TT) HST
		7671	250W	E40	HIT HST
		B161	100W	E40	HST HIT (CDO-TT)
		B162	100W	E40	HST HIT (CDO-TT)
DELO (Tilt = 2°)		B159	100W	E40	HST HIT (CDO-TT)
		B160	100W	E40	HST HIT (CDO-TT)
DELPHI (Tilt = 2°)		7853	250W	E40	HST
		7875	250W	E40	HIT
		7641	150W	E40	HIT (CDO-TT) HST
		7642	250W	E40	HIT HST
DELPHI (Tilt = 2°)		7322	150W	E40	HIT (CDO-TT) HST
		7323	250W	E40	HST
		7324	250W	E40	HIT
		B157	100W	E40	HIT (CDO-TT) HST





		B158	100W	E40	HIT (CDO-TT) HST
ARC		7208	13W	G24d-1	TC-D
		7209	26W	G24d-3	TC-D
BLIZ		7288	26W	G24d-3	TC-D
KRIS		5634	150W	Rx7s	QT-DE
		5647	100W	G12	HST (SDW-T)
		5688	70W	G12	HIT (BLV)
ESTE		B035	70W	Rx7s	HIT-DE HST-DE
		B036	150W	Rx7s	HIT-DE HST-DE
FLAMINIA A		B051	70W	Rx7s	HIT-DE HST-DE
		B052	70W	Rx7s	HIT-DE HST-DE
		B053	70W	Rx7s	HIT-DE HST-DE
		B054	150W	Rx7s	HIT-DE HST-DE
		B055	150W	Rx7s	HIT-DE HST-DE
		B056	150W	Rx7s	HIT-DE HST-DE
SALARIA		B261	70W	E27	HST HIT (CDO-TT)
		B262	100W	E40	HST HIT (CDO-TT)
		B263	150W	E40	HST HIT (CDO-TT)
		B208	70W	E27	HST CDO-TT


		B209	100W	E40	HST CDO-TT
		B210	150W	E40	HST CDO-TT
ARGO TESTAPALO		B177	70W	E27	HST HIT (CDO-TT)
		B178	100W	E40	HST HIT (CDO-TT)
		B179	150W	E40	HST HIT (CDO-TT)
DELPHI TESTAPALO		B167	70W	E27	HST HIT (CDO-TT)
		B168	100W	E40	HST HIT (CDO-TT)
		B169	150W	E40	HST HIT (CDO-TT)
WALKY- MINIWALKY		7110	7/9W	G23	TC
		7133	18W	2G11	TC-L
iWAY		B633	35W	G12	HIT
		B636	35W	G12	HIT
		B635	20W	G12	HIT(CDM-Tm)
		B634	35W	G12	HIT
		B637	35W	G12	HIT
iWAY		B638	70W	G12	HIT
		B639	20W	PGJ5	HIT(CDM-Tm)
		B640	20W	G12	HIT(CDM-Tm)
		B641	35W	G12	HIT
		B644	35W	G12	HIT
		B643	20W	G12	HIT(CDM-Tm)
		B642	35W	G12	HIT


		B645	35W	G12	HIT
		B646	70W	G12	HIT
		B647	20W	PGJ5	HIT(CDM-Tm)
		B648	20W	PGJ5	HIT(CDM-Tm)
NUVOLA SPECIALE		Su Richiesta	Su Richiesta	Su Richiesta	Su Richiesta
RADIUS		7365	150W	Rx7s	QT-DE12
		7366	70W	Rx7s	HIT-DE HST-DE
		7367	150W	Rx7s	QT-DE12
		7368	70W	Rx7s	HIT-DE HST-DE
iROLL 65		BA05	20W	G 8.5	HIT
		BA06	20W	G 8.5	HIT
		BA15	75W	E-27	PAR30
		BA16	18W	GX24q-2	TC-TEL
		BA19	20W	G 8.5	HIT
		BA20	20W	G 8.5	HIT
		BA27	75W	E-27	PAR30
		BA28	18W	GX24q-2	TC-TEL
		BA32	35W	G 8.5	HIT
		BA33	70W	G 8.5	HIT
		BA34	70W	G 8.5	HIT
		BA35	2X20W	PGJ5	HIT
		BA36	2X20W	PGJ5	HIT
		BA37	2X20W	PGJ5	HIT
		BA09	35W	G12	HIT
		BA13	35W	G12	HIT

iROLL 65		BA17	23W	E-27	TC-TSE
		BA23	35W	G12	HIT
		BA29	23W	E-27	PAR30
		BA38	2X20W	PGJ5	HIT
		B761	150W	G12	HIT
		B763	150W	G12	HIT
		B766	100W	E27	PAR-30
		B767	26/32/42W	GX24q-3/4	TC-TEL
		B768	26/32W	GX24q-3/4	TC-TEL
		B775	100W	E27	PAR30
		B776	26/32/40W	GX24q-3/4	TC-TEL
		B777	26/32W	GX24q-3/4	TC-TEL
		B783	150W	G12	HIT
		B784	2x70W	G18.5	HIT
		B785	2x70W	G18.5	HIT
		B786	2x70W	G18.5	HIT
		B756	70W	G12	HIT
		B759	70W	G12	HIT
		B760	70W	G12	HIT
		B762	150W	G12	HIT
		B764	150W	G12	HIT
		B765	150W	G12	HIT
		B771	70W	G12	HIT
B827	2x70W	G18.5	HIT		


MICROROLL 65		B479	3 x 1.5 W		LED Neutral White
		BA80	3 x 1.5 W		LED Warm White
		BA81	3 x 1.6 W		LED Blu
		BA82	3 x 1.5 W		LED Neutral White
		BA83	3 x 1.5 W		LED Warm White
		BA84	3 x 1.6 W		LED Blu
		BA85	3 x 1.5 W		LED Neutral White
		BA86	3 x 1.5 W		LED Warm White
		BA87	3 x 1.6 W		LED Blu
		BA88	3 x 1.5 W		LED Neutral White
		BA89	3 x 1.5 W		LED Warm White
		BA90	3 x 1.6 W		LED Blu
MINIROLL 65		BC04	35W	GU 5.3	QR CBC 51
		BC05	6x1.25W		LED Neutral White
		BC06	6x1.25W		LED Warm White
		BC07	6x1.3W		LED Blu
		BC08	6x1.25W		LED Neutral White
		BC09	6x1.25W		LED Warm White
		BC10	6x1.3W		LED Blu
		BC11	35W	GU 5.3	QR CBC 51
		BC12	6x1.25W		LED Neutral White
		BC13	6x1.25W		LED Warm White
		BC14	6x1.3W		LED Blu
		BC15	6x1.25W		LED Neutral White
		BC16	6x1.25W		LED Warm White
		BC17	6x1.3W		LED Blu



ARCHILEDE LED		BD99	39x1 W		LED Cool White
		BD06	39x1 W		LED Cool White
		BE00	59x1 W		LED Cool White
		BD07	59x1 W		LED Cool White
		BE01	84x1 W		LED Cool White
		BD08	84x1 W		LED Cool White
SISTEMA CUT-OFF LED		BD91	39x1 W		LED Cool White
		BD93	39x1 W		LED Cool White
		BD92	59x1 W		LED Cool White
		BD94	59x1 W		LED Cool White
		BD95	39x1 W		LED Cool White
		BD97	39x1 W		LED Cool White
		BD96	59x1 W		LED Cool White
		BD98	59x1 W		LED Cool White
SISTEMA CUT-OFF		BD85	50W	E27	HST HIT(CDO-TT)
		BC57	70W	E27	HST HIT(CDO-TT)
		BC58	100W	E40	HST HIT(CDO-TT)
		BC60	150W	Rx7s	HIT-DE HST-DE
		BC61	100W	E40	HST (Bi-Energy)
		BC63	150W	Rx7s	HST-DE (Bi-Energy)
		BC56	35W	G12	HIT
		BC59	140W	PGZ12	CPO-TW
		BC62	60W	PGZ12	CPO-TW
		BC64	70W	Rx7s	HIT-DE HST-DE


SISTEMA CUT-OFF		BC65	70W	Rx7s	HIT-DE HST-DE
		BC66	150W	Rx7s	HIT-DE HST-DE
		BC68	150W	Rx7s	HST-DE (Bi-Energy)
		BC67	140W	PGZ12	CPO-TW
		BC69	60W	PGZ12	CPO-TW
		BC70	33W	E27	EL Philips
		BD86	50W	E27	HST HIT(CDO-TT)
		BC82	70W	E27	HST HIT(CDO-TT)
		BC83	100W	E40	HST HIT(CDO-TT)
		BC85	150W	Rx7s	HIT-DE HST-DE
		BD86	100W	E40	HST (Bi-Energy)
		BC88	150W	Rx7s	HST-DE (Bi-Energy)
		BC81	35W	G12	HIT
		BC84	140W	PGZ12	CPO-TW
		BC87	60W	PGZ12	CPO-TW
		BC89	70W	Rx7s	HIT-DE HST-DE
		BC90	70W	Rx7s	HIT-DE HST-DE
		BC91	150W	Rx7s	HIT-DE HST-DE
		BC93	150W	Rx7s	HST-DE (Bi-Energy)
		BC92	140W	PGZ12	CPO-TW
BC94	60W	PGZ12	CPO-TW		
BC95	33W	E27	EL Philips		



iPRO		BD32	20W	PGJ5	HIT (CDM-Tm)
		BD33	20W	PGJ5	HIT (CDM-Tm)
		BD34	9x1W		LED Neutral White
		BD35	9x1W		LED Warm White
		BD36	9x1W		LED Neutral White
		BD37	9x1W		LED Warm White
		BD38	50W	12V	QR-CBC51
		BD40	35W	G8.5	HIT
		BD41	35W	G8.5	HIT
		BD42	35W	G8.5	HIT
		BD43	35W	G8.5	HIT
		BD44	35W	G8.5	HIT
		BD45	35W	G8.5	HIT
		BD46	16x1W		LED Neutral White
		BD47	16x1W		LED Warm White
		BD48	16x1W		LED Neutral White
		BD49	16x1W		LED Warm White
		BD52	70W	G12	HIT
		BD53	70W	G12	HIT
		BD54	70W	G12	HIT
		BD55	70W	Rx7s	HIT-DE
		BD56	70W	G12	HIT
		BD57	70W	G12	HIT
		BD58	70W	G12	HIT
		BD59	50W	G12	HIT
		BD61	150W	G12	HIT
BD62	150W	Rx7s	HIT HST-DE		




PRODOTTI ORIENTABILI - Per orientamenti di 0° rispetto alla verticale - verso il basso:





Serie	Codice	Potenza	Attacco	Lampada
PLATEA 	7376	2x26W	Gx24d-3	TC-T
	7377	70W	Rx7s	HIT-DE HST-DE
	7378	150W	Rx7s	HIT-DE HST-DE
	7393	300W	Rx7s	QT-DE12
	7395	250W	Fc2	HIT-DE
	7379	70W	Rx7s	HIT-DE HST-DE
	7392	300W	Rx7s	QT-DE12
	7394	250W	Fc2	HIT-DE
	7380	150W	Rx7s	HIT-DE HST-DE
	7444	70W	G12	HIT
	7445	150W	G12	HIT
	7698	70W	Rx7s	HIT-DE HST-DE
	7699	150W	Rx7s	HIT-DE HST-DE
	7499	250W	G12	HIT(CDM-T)
	7387	70W	G12	HIT
	7388	150W	G12	HIT
	7396	70W	Rx7s	HIT-DE
	7397	150W	Rx7s	HIT-DE
	7369	250W	Fc2	HIT-DE
	7399	150W	G12	HIT





LINEALUCE		7867	6x10W	SV 8.5	XENON
		7869	10x10W	SV 8.5	XENON
		7872	16x10W	SV 8.5	XENON
		7862	14W	G5	T16
		7863	21W	G5	T16
		7864	28W	G5	T16
		7865	35W	G5	T16
		B857	21W	G5	T16
		B858	28W	G5	T16
		B859	35W	G5	T16
		B861	21W	G5	T16
		B862	28W	G5	T16
		B863	35W	G5	T16
		B865	21W	G5	T16
		B866	28W	G5	T16
		B867	35W	G5	T16
LINEALUCE LED MONOCROMATICO		BD65	28x1W		LED Neutral White
		BD66	28x1W		LED Warm White
		BD69	28x1W		LED Neutral White
		BD70	28x1W		LED Warm White
		BB81	21x1W		LED Neutral White
		BB82	21x1W		LED Warm White
		BB83	30x1W		LED Neutral White
		BB84	30x1W		LED Warm White
		BB87	21x1W		LED Neutral White
		BB88	21x1W		LED Warm White
		BB89	30x1W		LED Neutral White



LINEALUCE LED MONOCROMATICO		BB90	30x1W	LED Warm White
		BB65	7x1W	LED Neutral White
		BB66	14x1W	LED Neutral White
		BB67	21x1W	LED Neutral White
		BB68	28x1W	LED Neutral White
		BB69	7x1W	LED Neutral White
		BB70	14x1W	LED Neutral White
		BB71	21x1W	LED Neutral White
		BB72	28x1W	LED Neutral White
		BA52	14x1W	LED Bianco Cold White
		BA53	14x1W	LED Bianco Warm White
		BA54	14x1W	LED Blu
		BA55	21x1W	LED Bianco Cold White
		BA56	21x1W	LED Bianco Warm White
		BA57	21x1W	LED Blu
		BA58	28x1W	LED Bianco Cold White
		BA59	28x1W	LED Bianco Warm White
		BA60	28x1W	LED Blu
		BA61	14x1W	LED Bianco Cold White
		BA62	14x1W	LED Bianco Warm White
		BA63	14x1W	LED Blu
		BA64	21x1W	LED Bianco Cold White
		BA65	21x1W	LED Bianco Warm White
		BA66	21x1W	LED Blu
		BA67	28x1W	LED Bianco Cold White
		BA68	28x1W	LED Bianco Warm White
		BA69	28x1W	LED Blu


LINEALUCE LED MONOCROMATICO		B745	7x1W		LED Warm White
		B650	7x1W		LED Blu
		B747	14x1W		LED Warm White
		B660	14x1W		LED Blu
		B749	21x1W		LED Warm White
		B670	21x1W		LED Blu
		B751	28x1W		LED Warm White
		B680	28x1W		LED Blu
		B654	7x1W		LED Bianco
		B746	7x1W		LED Warm White
		B655	7x1W		LED Blu
		B748	14x1W		LED Warm White
		B665	14x1W		LED Blu
		B750	21x1W		LED Warm White
		B675	21x1W		LED Blu
		B752	28x1W		LED Warm White
B685	28x1W		LED Blu		
LINEALUCE LED RGB		BA76	15x1W	DALI 48Vdc	LED RGB
		BA77	21x1W	DALI 48Vdc	LED RGB
		BA78	30x1W	DALI 48Vdc	LED RGB
		BA70	15x1W	DALI 48Vdc	LED RGB
		BA71	21x1W	DALI 48Vdc	LED RGB
		BA72	30x1W	DALI 48Vdc	LED RGB
		BA73	15x1W	DALI 48Vdc	LED RGB
		BA74	21x1W	DALI 48Vdc	LED RGB
		BA75	30x1W	DALI 48Vdc	LED RGB


WOODY A LED		BA40	12x1W Neutral White		LED
		BA41	12x1W Warm White		LED
		BA42	12x1W Neutral White		LED
		BA43	12x1W Warm White		LED
PLATEA LED		BA44	36x1W Neutral White		LED
		BA45	36x1W Warm White		LED
		BA46	36x1W Warm White		LED
		BA47	36x1W Warm White		LED
		BA48	36x1W Warm White		LED
		BA49	36x1W Warm White		LED
		BA50	36x1W Neutral White		LED
		BA51	36x1W Warm White		LED
		BC45	36x1W RGB		LED
		BB25	36x1W RGB		LED
		BB26	36x1W RGB		LED
		BB27	36x1W RGB		LED
		BC45	36x1W		LED Cool White
		BC46	36x1W		LED Neutral White
		BC47	36x1W		LED Cool White
BB25	72Wmax		36 LED RGB Dali		
LINGOTTO		7019	250W	Fc2	HIT-DE HST-DE
		7029	250W	Fc2	HIT-DE HST-DE
		7020	400W	Fc2	HIT-DE
		7030	400W	Fc2	HIT-DE
		7017	150W	Rx7s	HIT-DE HST-DE


LINGOTTO		7027	150W	Rx7s	HIT-DE HST-DE
		7018	300W	R7s	QT-DE
		7028	300W	R7s	QT-DE
		7012	150W	Rx7s	HIT-DE HST-DE
		7013	300W	R7s	QT-DE
WOODY A SCARICA		7591	35W	G12	HIT
		7593	70W	G12	HIT
		7592	35W	G12	HIT
		7594	70W	G12	HIT
COLOURWOODY		5742	150W	G12	HIT(CDM-T)
		5748	250W	E40	HIT(GE)
		5758	150W	G12	HIT(CDM-T)
		5760	250W	E40	HIT(GE)
WOODY		7334	50W	GY6.35	QT12
		7335	50W	GY6.35	QT12
		7336	75W	GY6.35	QT12
		7337	75W	GY6.35	QT12
		7338	100W	B15d	QT18
		7339	100W	B15d	QT18
		7350	75W	GY6.35	QT12
		7352	100W	B15d	QT18
		7353	50W	GY6.35	QT12
		7354	50W	GY6.35	QT12
		7355	75W	GY6.35	QT12
		7356	75W	GY6.35	QT12




WOODY LED		BA40	12x1W Neutral White		LED
		BA41	12x1W Neutral White		LED
		BA42	12x1W Neutral White		LED
		BA43	12x1W Neutral White		LED
		BA24	12x1W RGB		LED
MINIWOODY		B590	3W Warm White		LED
		B587	3W Blu		LED
		B591	3W Warm White		LED
		B589	3W Blu		LED
		B582	20W	PGJ5	HIT (CDM-Tm)
		B583	20W	PGJ5	HIT (CDM-Tm)
		B592	20W	PGJ5	HIT (CDM-Tm)
		B584	35/50W	GY6.35	QT12
		B583	35/50W	GY6.35	QT12
B592	35/50W	GY6.35	QT12		
MINIWOODY LED		BB22	3x1 Neutral White		LED
		B590	3x1 Warm White		LED
		B587	3x1 Blu		LED
		BB23	3x1 Neutral White		LED
		B591	3x1 Warm White		LED
		B589	3x1 Blu		LED
LAVINIA		BD87	39x1W		LED Cool White
		BD89	39x1W		LED Cool White
		BD88	59x1W		LED Cool White
		BD90	59x1W		LED Cool White
		B213	250W	E40	HIT (Osram-BLV)


LAVINIA		B214	250W	E40	HST
		B215	400W	E40	HIT (PHILIPS)
		B217	250W	Fc2	HST-DE HIT-DE
		B218	400W	Fc2	HIT-DE
		B413	70W	Rx7s	HIT-DE HST-DE
		B414	70W	E27	HST HIT (CDO-TT)
		B420	140W	PGZ12	HST (CPO-TW)
		B415	150W	Rx7s	HIT-DE HST-DE
		B416	250W	G12	HIT (CDM-T)
		B425	70W	Rx7s	HIT-DE HST-DE
		B426	70W	E27	HST HIT (CDO-TT)
		B432	140W	PGZ12	HST (CPO-TW)
		B427	150W	Rx7s	HIT-DE HST-DE
		B428	250W	G12	HIT (CDM-T)
		B411	100W	E40	HST HIT (CDO-TT)
B412	150W	E40	HST HIT (CDO-TT)		
ITEKA		B787	150W	R7s	QT-DE
		B788	20W	PGJ5	CDM-Tm
		B789	35W	G12	HIT
		B790	13W	GX24q-1	TC-TEL
		BA03	20W	PGJ5	CDM-Tm
		BA04	35W	G8.5	HIT



ITEKA		B794	150W	R7s	QT-DE
		B795	20W	PGJ5	CDM-Tm
		B797	35W	G12	HIT
		B796	20W	PGJ5	CDM-Tm
		B798	35W	G8.5	HIT
		B799	150W	R7s	QT-DE
		B800	13W	GX24q-1	TC-TEL
		B804	20W	PGJ5	CDM-Tm
		B805	35W	G8.5	HIT
		B806	2x150W	R7s	QT-DE
		B807	2x13W	GX24q-1	TC-TEL
		B811	2x20W	PGJ5	CDM-Tm
		B812	2x35W	G8.5	HIT
		B813	20W	PGJ5	CDM-Tm
		B814	35W	G12	HIT
		B815	150W	R7s	QT-DE
		B816	20W	PGJ5	CDM-Tm
		B817	35W	G8.5	HIT
		B818	2x20W	PGJ5	CDM-Tm
		B819	2x35W	G12	HIT
		B820	2x150W	R7s	QT-DE
		B821	2x20W	PGJ5	CDM-Tm
		B822	2X35W	G8.5	HIT
		BC35	35W	G12	HIT
BC37	35W	G8.5	HIT		
BC39	2X35W	G12	HIT		
BC41	2X35W	G8.5	HIT		

		B791	24x1 W Cool White		LED
		B801	24x1 W Cool White		LED
		BC47	24x1 W Cool White		LED
		B808	2x(24x1 W) Cool White		LED
		BC49	2x(24x1 W) Cool White		LED
MAXIWOODY		5614	70W	G12	CDM-T
		5615	70W	G12	CDM-T
		5616	60W	PGZ12	CPO-TW
		5617	60W	PGZ12	CPO-TW
		5618	150W	G12	CDM-T
		5619	150W	G12	CDM-T
		5620	140W	PGZ12	CPO-TW
		5621	140W	PGZ12	CPO-TW
		5622	250W	G12	CDM-T
		5623	250W	G12	CDM-T
		5624	250W	G12	CDM-T
		5650	70W	G12	HIT HIT (CDM-T)
		5651	70W	G12	HIT(CDM-T)
		5652	70W	E27	HIE/C HIE/M
		5653	70W	E27	HST HIT(CDO-TT)
		5654	70W	E27	HSE HIE(CDO-ET)
		5684	70W	Rx7s	HIT-DE HST-DE
		5658	150W	G12	HIT HIT (CDM-T)

MAXIWOODY		5659	150W	G12	HIT(CDM-T)
		5660	150W	E27	HIE/C HIE/M
		5661	100W	PG 12-1	HST (SDW-T)
		5662	100W	PG 12-1	HST (SDW-T)
		5666	150W	Rx7s	HIT-DE HST-DE
		5667	250W	E40	HIT
		5668	250W	E40	HIT
		5669	250W	E40	HIE HSE
		5670	250W	E40	HST
		5671	400W	E40	HIT
		5672	400W	E40	HIT HST
		5673	400W	E40	HIT
		5674	400W	E40	HIT
		5675	400W	E40	HIE HSE
		5676	70W	G12	HIT HIT (CDM-T)
		5677	70W	G12	HIT(CDM-T)
		5678	70W	E27	HIE/C HIE/M
		5679	70W	E27	HST HIT(CDO-TT)
		5685	70W	E27	HSE HIE(CDO-ET)
		5680	70W	Rx7s	HIT-DE HST-DE
		5681	150W	G12	HIT HIT (CDM-T)
		5682	150W	G12	HIT(CDM-T)

MAXIWOODY		5683	150W	E27	HIE/C HIE/M
			150W	Rx7s	HIT-DE HST-DE
MULTIWOODY		5650	70W	G12	HIT(Osram) HIT(CDM-T)
		5651	70W	G12	HIT(CDM-T)
		5652	70W	E27	HIE/C(Osram) HIE/M(Osram)
		5653	70W	E27	HST HIT(CDO-TT)
		5654	70W	E27	HSE HIE(CDO-ET)
		5684	70W	Rx7s	HIT-DE HST-DE
		5658	150W	G12	HIT(Osram) HIT(CDM-T)
		5659	150W	G12	HIT(CDM-T)
		5660	150W	E27	HIE/C(Sylvania) HIE/M(Sylvania)
		5661	100W	PG12-1	HST (SDW-T)
5662	100W	PG12-1	HST (SDW-T)		
CITYWOODY		5675	70W	G12	HIT(Osram) HIT(CDM-T)
		5676	70W	G12	HIT(CDM-T)
		5677	70W	E27	HIE/C (Osram) HIE/M (Osram)
		5678	70W	E27	HST HIT(CDO-TT)
		5679	70W	E27	HSE HIE(CDO-ET)
		5685	70W	Rx7s	HIT-DE HST-DE

		5680	150W	G12	HIT(Osram) HIT(CDM-T)
		5681	150W	G12	HIT(CDM-T)
		5682	150W	E27	HIE/C(Sylvania) HIE/M(Sylvania)
		5683	150W	Rx7s	HIT-DE HST-DE
FRAMEWOODY		5650	70W	G12	HIT(Osram) HIT(CDM-T)
		5651	70W	G12	HIT(CDM-T)
		5652	70W	E27	HIE/C(Osram) HIE/M(Osram)
		5653	70W	E27	HST HIT(CDO-TT)
		5654	70W	E27	HSE HIE(CDO-ET)
		5655	80W	E27	HME
		5684	70W	Rx7s	HIT-DE HST-DE
		5675	70W	G12	HIT(Osram) HIT(CDM-T)
		5676	70W	G12	HIT(CDM-T)
		5677	70W	E27	HIE/C(Osram) HIE/M(Osram)
		5678	70W	E27	HST HIT(CDO-TT)
		5679	70W	E27	HSE HIE(CDO-ET)
		5685	70W	Rx7s	HIT-DE HST-DE
		5658	150W	G12	HIT(Osram) HIT(CDM-T)
5659	150W	G12	HIT(CDM-T)		
5660	150W	E27	HIE/C (Sylvania) HIE/M (Sylvania)		

FRAMEWOODY		5661	100W	PG12-1	HST (SDW-T)
		5662	100W	PG12-1	HST (SDW-T)
		5663	125W	E27	HME
		5666	150W	Rx7s	HIT-DE HST-DE
		5680	150W	G12	HIT(Osram) HIT(CDM-T)
		5681	150W	G12	HIT(CDM-T)
		5682	150W	E27	HIE/C (Sylvania) HIE/M (Sylvania)
		5683	150W	Rx7s	HIT-DE HST-DE
IROAD		B403	70W	Rx7s	HIT-DE HST-DE
		B404	150W	Rx7s	HIT-DE HST-DE
		B406 B405	140W 250W	PGZ12 G12	HST (CPO-TW) HIT (CDM-T)
		B407	70W	Rx7s	HIT-DE HST-DE
		B408	150W	Rx7s	HIT-DE HST-DE
		B410	140W	PGZ12	HST (CPO-TW)
		B409	250W	G12	HIT (CDM-T)

Alcuni di tali prodotti, con l'utilizzo di accessori quali alette direzionali, consentono di rientrare nei limiti pur se orientati leggermente rispetto alla verticale.






8. Deroghe:





Impianti che rispettano le seguenti condizioni:

- ciascuna sorgente ha un flusso 1500lm






- il flusso totale emesso da tutti i punti luce 2250 lm per 90°. (DGR n.48/31 art. 9 comma 3III).






CAMMINAMENTI- PICCHETTI




Serie		Codice	Flusso > 90° [lumen]
SPARK		7284	33
		7286	33
		7285	42
		7287	42
DART		7294	251
		7293	251
ARC		7208	0
TEE		7596	15
		7596+5931	19
		7597	15
		7898	15
		7595	15
		B868	3.8
		B869	20.16
		B870	1.4
		B874	3.8
		B875	20.16
		B876	1.4
		B880	3.8
		B881	20.16
		B882	1.4
B886	3.8		
B887	20.16		
B888	1.4		
OLIMPIA		7230	356
		7231	356
		7232	356
		7233	356
		7234	356
		7235	356








ELLIPSE		7576 (60W)	128
		7579 (60W)	128
		7577	210
		7580	210
		7582 (2x60W)	256
		7585 (2x60W)	256
		7583	420
7586	420		
EUCLIDE		7202	111
IWAY		B469	<1
		B470	<1
		B471	<1
		B474	9
		B477	322
		B479	241
		B480	241
		B489	6,5
		B490	<1
B491	<1		
PENCIL		B493	43
		B494	115
		B495	230
		B498	52
		B499	138
		B500	276

INCASSO-APPLIQUE

Serie		Codice	Flusso > 90°
SCREEN		7094	42
		7141	51
		7124	42
GRID		B562	290
		7050	230
		7055	283
		7086	184
		7090	227
		7088	186
		7092	222
		7069	230
		7120	183
		7122	186
FULL		7040	264
		7045	336
		7078	212
		7082	266
		7080	216
		7084	264
		7064	264
		7096	212
		7098	150
		B552	290
MINIROLL65 /MICROIROLL65		BC19	252.92
		BC20	234.36
		BC21	98.21
		BC22	236.60
		BC23	219.24
		BC24	91.87
		BA91	193.14
		BA92	178.97
		BA93	75.09
		BA94	170.07
		BA95	157.60
		BA96	66.04
COMFORT		7095	6
		7125	6
		B576	8
		B578	8






PIXY		7143	3.2
		7137	1.6
		7142	29
		7135	14
WALKY		7133	0
		7110	0
		7131	72
		7109	14
LINEALUCE FLUSSO UP		7862	783
		7867	317
		7869	528
LINEALUCE FLUSSO HOR		7862	391
		7867	158
		7869	264
LINEALUCE LED MONOCROMATICO		BB65	450.53
		BB66	901.06
		BB69	463.22
		BB70	926.44
		BB73	748.76
		BB76	647.24
		B745	417.48
		B650	174.94
		B747	834.96
		B660	349.88
		B670	524.83
		B680	699.77
		B746	429.26
		B655	179.87
		B748	858.48
		B665	359.74
		B675	539.61
		B685	719.48
		B650	174.94
		B660	349.88
		B670	524.28
		B680	699.77
		B655	179.87
B665	359.74		
B675	539.61		
B685	719.48		
BA53	693.84		
BA54	290.75		
BA57	436.12		
BA60	581.50		



		BA62 BA63 BA66 BA69	599.76 251.32 377 502.65
LINEALUCE LED -RGB		BA76 BA77 BA78 BA70 BA71 BA72 BA73 BA74 BA75	445.33 623.47 890.67 375.75 526.05 751.50 361.83 506.57 723.67
ELLIPSE		7113 (60W) 7114 (60W) 7116 7117 7588	161 88 190 288 128
GLIM CUBE HOR		BB16 BB17 BB18 BB19 BC32 BB20 BB21 BC33 BB06 BB07 BC27 BB08 BB09 BB10 BB11 BC28 BC29 BB12 BB13 BB14 BB15 BC30 BC31 BA97 BA98 BC25	11.4 10.43 11.34 10.43 9.25 11.34 10.43 9.25 25 23.52 9.24 0 0 0 0 0 0 0 34.45 37.8 40.79 37.8 15.64 17.53 57.2 52.92 19.19



GLIM CUBE HOR		BB02	70.70
		BB03	65.52
		BC26	27.05
		BA99	57.10
		BB01	52.92
		BB04	70.7
		BB05	65.52
		B597	19.68
		B601	15.6
		B599	15.6
		B602	16.96
		B603	4.4
		B605	0
		B607	0
		B609	6.08
		B611	7.2
		B613	1.54
B615	1.54		
B617	1.54		
MINIWOODY LED		B590	128.52
		B587	23
		B589	23.52
WOODY LED		BA40	815.85
		BA41	756.11
		BA42	630.92
		BA43	604.8
MINIWOODY ELETTRONICO		B584	250
		B585	323
		B593	323
VIS		B696	179
		B698	179
		B701	261
		B705	261
		B753	74
GRID SQUARE		B693	65
		B694	65
I PRO LED Up/ APPLIQUE		BD34	669
		BD35	620
		BD36	554.77
		BD37	514.08
		BD47	870.16

		BD48	n.d.
		BD49	n.d.
		BD34	334.5
		BD35	310
		BD36	277.38
		BD37	257.04
		BD47	435.08

INCASSO A TERRA

Serie		Codice	Flusso > 90°
BALISAGE		4196	8.4
		4197	21
		4198	172
		B892	2.58
		B893	<1
		B897	7.68
		B898	2.69
BALISAGE LED		BD77	n.d.
		BD78	n.d.
LIGHT UP		7167	504
		4189	504
		B001	43
		B002	245
		B003	276
		B004	194
		B013	500
		B032	43
		B183	5.49
		B184	1.92
LINEALUCE		7884	324
		7886	540
		7878	162
		7879	486
		7890	418
LED PLUS		BB43	45.32
		BB44	42
		BB47	45.32
		BB48	42
		BB45	87.94
		BB46	77.28
		BB49	87.94

<p>LED PLUS</p>		<p>BB50 BB51 BB52 BB53 BB54 BB55 BB56 BB57 BB58 BB59 BB60 B281 B275 B276 B285 B286 B319 B328 B300 B294 B295 B304 B305 B337 B346 B349 B364 B367 B382 B391 B385 B386 B400 2606 2620 2628 2633 2635 2640</p>	<p>81.49 144.13 133.56 336.31 311.64 576.53 534.24 19.94 18.48 59.83 55.44 8.11 <1 <1 3 <1 11.45 10.22 8.11 1 <1 3 <1 11.61 10.21 12.68 2.98 2.88 8.94 97.92 32.11 <1 14.89 <1 <1 6.36 10.2 6.36 10.2</p>
<p>LIGHT UP WALK</p>		<p>B255 B254 B256 B257 B258 B225 B226</p>	<p>44 45 219 5.49 1.92 214 187</p>

LIGHT UP WALK		BD75	n.d.
		BD76	n.d.
		BD71	n.d.
		BD72	n.d.
		BD73	n.d.
		BD74	n.d.
IFACE		B828	143
		B831	144
		B834	180
		B837	180
		B850	143
		B853	180

Massimo Gattari
 Direttore Progettazione